

DAYTON CHILDREN'S HOSPITAL

CLINICAL PRACTICE GUIDELINES

DISCLAIMER: This Clinical Practice Guideline (CPG) generally describes a recommended course of treatment for patients with the identified health needs. This CPG is not presented and should not be used as a substitute for the advice of a licensed independent practitioner, as individual patients may require different treatments from those specified, and guidelines cannot address the unique needs of each patient. Dayton Children's shall not be liable for direct, indirect, special, incidental or consequential damages related to the use of this CPG.



Procedural Pain Management

Procedural Pain-List of procedures with pain reducing interventions currently utilized								
Procedure	Preparation/Distraction/ Positions of Comfort (P.O.C.)	Oral Sucrose	Local Anesthesia	Sedation Therapy	Nitrous Oxide			
			EMLA(60 min) Synera(20-30min)					
Angiography/Cardiac Cath	Patient Preparation	0-3 Months	EMLA Buffered Lidocaine	Fentanyl Ketamine Midazolam Propofol				
Art line placement	Patient Preparation	0-3 Months	Buffered Lidocaine EMLA					
Bone Marrow	Distraction Patient Preparation P.O.C LP	0-3 Months	Buffered Lidocaine EMLA	Fentanyl Ketamine Midazolam Morphine Propofol Dexmedetomidine				
Burn/Wound	Distraction Patient Preparation	0-3 Months		PO Acetaminophen with codeine PO Hydrocodone PO Lorazepam PO Midazolam IV Midazolam IV Morphine	х			
Capillary Blood Draw	Patient Preparation P.O.C Cradle, Bear Hug, Swaddling, Mummy/Distraction	0-3 Months	Sucrose		х			
Cardioversion	Patient Preparation	0-3 Months		Midazolam Propofol				
Chest Tubes	Patient Preparation/Distraction	0-3 Months	Buffered Lidocaine EMLA	IV Versed and Ketamine OR IV Versed and Fentanyl				
Circumcision	Patient Preparation	0-3 Months	EMLA	Nerve Block, IV Pain Meds				
Closed reduction	Patient Preparation/Distraction	0-3 Months		IV Versed and Morphine OR IV Etomidate and Morphine	х			
CVL/PICC line	Distraction Patient Preparation P.OC Cradle, Mummy, Bear Hug	0-3 Months	Buffered Lidocaine EMLA Synera	IV Fentanyl IV Midazolam PO Lorazepam IV Lorazepam IV Pentobarbital	х			
Deep Tissue Biopsies	Patient Preparation/Distraction	0-3 Months	Buffered Lidocane EMLA	Anesthesia Marcaine Meperidine Midazolam				



Procedural Pain Management

Procedural Pain-List of procedures with pain reducing interventions currently utlized								
Procedure	Preparation/Distraction/ Positions of Comfort (P.O.C.)	Oral Sucrose	Local Anesthesia	Sedation Therapy	Nitrous Oxide			
Ear irrigation	Distraction Patient Prepartion P.O.C Cradle, Mummy, Bear Hug	0-3 Months			Х			
G-tube changes	Patient Preparation/Distraction	0-3 Months		Intranasal Midazolam IV Morphine	х			
IM injection	Distraction Patient Prepartion P.O.C Swaddling, Bear Hug, Roo, Cradle	0-3 Months	EMLA Shot Blocker Synera	Lidocaine with Rocephin	х			
lmaging	Distraction Patient Preparation P.O.C Bear Hug, Roo, Mummy	0-3 Months		Chloral Hydrate Fentanyl Pentobarbital Versed Propofol Dexmedetomidine				
IVs/Access Ports	Distraction Patient Prepartion P.O.C Swaddle, Bear Hug, Roo, Mummy	0-3 Months	EMLA Synera Zingo(I.V.s only)	Intranasal Midazolam	х			
LPs	Distraction Patient Prepartion P.O.C LP	0-3 Months	EMLA	IV Midazolam & Fentanyl IV Midazolam & Morphine Ketamine	х			
Minor surgical procedures	Distraction Patient Prepartion P.O.C Bear Hug, Mummy, Swaddling	0-3 Months	Buffered Lidocaine EMLA Synera	Oral Midazolam Intranasal Midazolam IV Morphine	х			
NG tube/pH probe placement	Distraction Patient Preparation P.O.C Swaddling, Bear Hug, Cradle, Mummy	0-3 Months	Lidocaine gel	Intranasal or Oral Midazolam	х			
Pelvic/Perineal Exams	Distraction Patient Preparation P.O.C Modified Roo	0-3 Months		Intranasal or Oral Midazolam	Х			
Splinting	Patient Preparation P.O.C Roo	0-3 Months		PO Acetaminophen with codeine PO hydrocodone IV Morphine	Х			
Sutures	Distraction Patient Prepartion P.O.C Swaddling, Mummy, Roo, Bear Hug	0-3 Months	Buffered Lidocaine Topical LET gel	Oral/Intranasal Midazolam IV Midazolam IV Morphine	х			
Urethral Catheterizations	Distraction Patient Prepartion P.O.C Froggie	0-3 Months	Lidocaine gel	Oral/Intranasal Midazolam	х			
Venipuncture	Distraction Patient Prepartion P.O.C Roo, Bear Hug	0-3 Months	EMLA Synera		Х			